



PRODUCT CATALOGUE

2022/1



- CABLE TRUNKING
- CONDUITS
- **ACCESSORIES**
- FIXTURES
- CABLE TIES
- FANS
- **BOARDS**
- FUSE BOX
- CABLES

sales@o-miks.com
www.o-miks.com



CABLE TRUNKING

KABLO KANALLARI



PVC CABLE TRUNKING

CODE	DESCRIPTION	CTN-PCS
OM 1212	12x12 Pvc Cable Trunking	340
OM 1510	15x10 Pvc Cable Trunking	364
OM 1616	16x16 Pvc Cable Trunking	192
OM 2010	20x10 Pvc Cable Trunking	260
OM 2516	25x16 Pvc Cable Trunking	128
OM 2525	25x25 Pvc Cable Trunking	80
OM 3020	30x20 Pvc Cable Trunking	84
OM 4025	40x25 Pvc Cable Trunking	50
OM 4040	40x40 Pvc Cable Trunking	48
OM 6040	60x40 Pvc Cable Trunking	36
OM 6060	60x60 Pvc Cable Trunking	24
OM 8040	80x40 Pvc Cable Trunking	28
OM 8060	80x60 Pvc Cable Trunking	28
OM 0040	100x40 Pvc Cable Trunking	20
OM 0060	100x60 Pvc Cable Trunking	16
OM 2060	120x60 Pvc Cable Trunking	16



PVC CABLE TRUNKING ADHESIVE

CODE	DESCRIPTION	CTN-PCS
OM 1212-A	12x12 Pvc Cable Trunking Adhesive	340
OM 1510-A	15x10 Pvc Cable Trunking Adhesive	364
OM 1616-A	16x16 Pvc Cable Trunking Adhesive	192
OM 2010-A	20x10 Pvc Cable Trunking Adhesive	260
OM 2516-A	25x16 Pvc Cable Trunking Adhesive	128
OM 2525-A	25x25 Pvc Cable Trunking Adhesive	80
OM 3020-A	30x20 Pvc Cable Trunking Adhesive	84
OM 4025-A	40x25 Pvc Cable Trunking Adhesive	50
OM 4040-A	40x40 Pvc Cable Trunking Adhesive	48



PVC RIGID CONDUIT / LIGHT GAUGE

CODE	DESCRIPTION	EX.DIAMETER (mm)	INT.DIAMETER (mm)	CTN-PCS
OM 80116	Malleable Rigid Conduit	Ø 16	13,6	102
OM 80120	Malleable Rigid Conduit	Ø 20	17,4	102
OM 80125	Malleable Rigid Conduit	Ø 25	22,1	51
OM 80132	Malleable Rigid Conduit	Ø 32	28,6	45
OM 80140	Malleable Rigid Conduit	Ø 40	36,7	30

SLEEVED PVC RIGID CONDUIT / LIGHT GAUGE

CODE	DESCRIPTION	EX.DIAMETER (mm)	INT.DIAMETER (mm)	CTN-PCS
OM 80416	Malleable Rigid Conduit With Coupling	Ø 16	13,6	102
OM 80420	Malleable Rigid Conduit With Coupling	Ø 20	17,4	102
OM 80425	Malleable Rigid Conduit With Coupling	Ø 25	22,1	51
OM 80432	Malleable Rigid Conduit With Coupling	Ø 32	28,6	45
OM 80440	Malleable Rigid Conduit With Coupling	Ø 40	36,7	30





CONDUIT INSTALLATIONS ACCESSORIES

DÜZ BORU BAĞLANTI AKSESUARLARI



COUPLING

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 81116	Conduit Installations Accessorie - Coupling	Ø 16	100
OM 81120	Conduit Installations Accessorie - Coupling	Ø 20	100
OM 81125	Conduit Installations Accessorie - Coupling	Ø 25	100
OM 81132	Conduit Installations Accessorie - Coupling	Ø 32	100



BENDING PIECE

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 82116	Conduit Installations Accessorie - Bending Piece	Ø 16	100
OM 82120	Conduit Installations Accessorie - Bending Piece	Ø 20	100
OM 82125	Conduit Installations Accessorie - Bending Piece	Ø 25	100
OM 82132	Conduit Installations Accessorie - Bending Piece	Ø 32	100



T CORNER

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 83116	Conduit Installations Accessorie - T Corner	Ø 16	100
OM 83120	Conduit Installations Accessorie - T Corner	Ø 20	100
OM 83125	Conduit Installations Accessorie - T Corner	Ø 25	100
OM 83132	Conduit Installations Accessorie - T Corner	Ø 32	100



SNAP CLIP

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 84116	Conduit Installations Accessorie - Snap Clip	Ø 16	500
OM 84120	Conduit Installations Accessorie - Snap Clip	Ø 20	500
OM 84125	Conduit Installations Accessorie - Snap Clip	Ø 25	500
OM 84132	Conduit Installations Accessorie - Snap Clip	Ø 32	500



CEILING FIXTURES & BACKLIGHT

SENSÖRLÜ ve LEDLİ TAVAN ARMATÜRLERİ



CEILING FIXTURE WITH SENSOR

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 101	Ceiling Fixture With Sensor 2xE27 Lamp Holder	Ø 300	12



LED CEILING FIXTURE WITH SENSOR

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 103	18W Led Ceiling Fixture With Sensor, 6500K	Ø 300	12



BACKLIGHT LED PANEL

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 615	Backlight Led Panel 54 W, 6500-4000-3000K	600x600mm	10

A⁺⁺



WATERPROOF LUMINAIERES

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 8118	1x60 cm Pc Body & Pc Class, Empty Suitable For Led Fluorescent Lamp	1x18 watt	24
OM 8218	2x60 cm Pc Body & Pc Class, Empty Suitable For Led Fluorescent Lamp	2x18 watt	24
OM 8136	1x120 cm Pc Body & Pc Class, Empty Suitable For Led Fluorescent Lamp	1x36 watt	8
OM 8236	2x120 cm Pc Body & Pc Class, Empty Suitable For Led Fluorescent Lamp	2x36 watt	8






STANDARD CABLE TIES

KABLO BAĞLARI



CABLE TIES

CODE	DESCRIPTION	CTN-PCS
OM 02 202	2,5x100 Cable Ties	80.000
OM 12 212	2,5x140 Cable Ties	50.000
OM 13 213	2,5x200 Cable Ties	35.000
OM 23 223	3,6x100 Cable Ties	45.000
OM 03 203	3,6x150 Cable Ties	30.000
OM 04 204	3,6x205 Cable Ties	25.000
OM 09 209	3,6x250 Cable Ties	22.500
OM 10 210	3,6x300 Cable Ties	17.500
OM 11 211	3,6x370 Cable Ties	16.000
OM 14 214	4,8x200 Cable Ties	17.000
OM 06 206	4,8x250 Cable Ties	15.000
OM 05 205	4,8x300 Cable Ties	15.000
OM 25 225	4,8x350 Cable Ties	12.000
OM 16 216	4,8x400 Cable Ties	10.000
OM 26 226	4,8x450 Cable Ties	9.000
OM 07 207	8x250 Cable Ties	8.000
OM 18 218	8x300 Cable Ties	6.000
OM 19 219	8x380 Cable Ties	6.000
OM 21 221	8x450 Cable Ties	5.000
OM 15 215	8x550 Cable Ties	4.000
OM 24 224	8x750 Cable Ties	2.000
OM 17 217	9x762 Cable Ties	1.500
OM 22 222	9x940 Cable Ties	1.500





DECORATIVE PLASTIC BATHROOM FANS



DEKORATİF PLASTİK BANYO ASPIRATÖRLERİ



DECORATIVE PLASTIC BATHROOM FANS

CODE	DESCRIPTION	POWER	CTN-PCS
OM 1100	Ø100-4" Decorative Plastic Bathroom Fans	15 W	20
OM 1120	Ø120-5" Decorative Plastic Bathroom Fans	20 W	20
OM 1150	Ø150-6" Decorative Plastic Bathroom Fans	25 W	10

Ölçü / Dimension				
Type	A	B	C	D
Ø100	158	158	85	100
Ø120	185	185	100	120
Ø150	215	215	115	150





ROLLER EXTENSION CABLE

MAKARALI UZATMA KABLOSU



ROLLER EXTENSION CABLE

CODE	DESCRIPTION	SECTION	CTN-PCS
OM 300	Empty Spool Roller Extension Cable	Empty Spool	4
OM 315.20	20mt Roller Extension Cable CCA	3 x 1,5 mm ²	4
OM 315.35	35mt Roller Extension Cable CCA	3 x 1,5 mm ²	4
OM 315.50	50mt Roller Extension Cable CCA	3 x 1,5 mm ²	4
OM 325.20	20mt Roller Extension Cable CCA	3 x 2,5 mm ²	4
OM 325.30	30mt Roller Extension Cable CCA	3 x 2,5 mm ²	4
OM 325.40	40mt Roller Extension Cable CCA	3 x 2,5 mm ²	4
OM 325.50	50mt Roller Extension Cable CCA	3 x 2,5 mm ²	4
OM 215.20	20mt Roller Extension Cable CCA	2 x 1,5 mm ²	4
OM 215.35	35mt Roller Extension Cable CCA	2 x 1,5 mm ²	4
OM 215.50	50mt Roller Extension Cable CCA	2 x 1,5 mm ²	4



ROLLER EXTENSION CABLE - JUNIOR MODEL

CODE	DESCRIPTION	SECTION	CTN-PCS
OM 301	Empty Spool Roller Extension Cable	Empty Spool	10
OM 305	5mt Roller Extension Cable CCA	3 x 1,5 mm ²	10
OM 310	10mt Roller Extension Cable CCA	3 x 1,5 mm ²	10
OM 305-B	5mt Roller Extension Cable COPPER	3 x 1 mm ²	10
OM 310-B	10mt Roller Extension Cable COPPER	3 x 1 mm ²	10



WATERPROOF PLASTIC BOARDS

SU GEÇİRMEZ PLASTİK PANOLAR



IP65

WATERPROOF PLASTIC BOARD - ABS

CODE	DESCRIPTION	CTN-PCS
OM 6001	200x300x130 ABS Plastic Board	1
OM 6002	250x350x150 ABS Plastic Board	1
OM 6003	300x400x170 ABS Plastic Board	1
OM 6004	300x400x220 ABS Plastic Board	1
OM 6005	350x500x190 ABS Plastic Board	1
OM 6006	400x500x180 ABS Plastic Board	1
OM 6007	400x500x240 ABS Plastic Board	1
OM 6008	400x600x200 ABS Plastic Board	1
OM 6009	500x600x220 ABS Plastic Board	1
OM 6010	500x700x250 ABS Plastic Board	1
OM 6011	600x800x260 ABS Plastic Board	1



IP65

WATERPROOF PLASTIC BOARD - PC

CODE	DESCRIPTION	CTN-PCS
OM 6101	200x300x130 PC Board Transparent	1
OM 6102	250x350x150 PC Board Transparent	1
OM 6103	300x400x170 PC Board Transparent	1
OM 6104	300x400x220 PC Board Transparent	1
OM 6105	350x500x190 PC Board Transparent	1
OM 6106	400x500x180 PC Board Transparent	1
OM 6107	400x500x240 PC Board Transparent	1
OM 6108	400x600x200 PC Board Transparent	1
OM 6109	500x600x220 PC Board Transparent	1
OM 6110	500x700x250 PC Board Transparent	1
OM 6111	600x800x260 PC Board Transparent	1



SURFACE MOUNTED FUSE BOX

SIVA ÜSTÜ SİGORTA KUTULARI



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9401	1-2 Way Surface Fuse Box	40



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9411	12 Way Surface Fuse Box	20



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9403	2 Way Surface Fuse Box	30



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9413	16 Way Surface Fuse Box	20



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9407	6 Way Surface Fuse Box	30



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9415	24 Way Surface Fuse Box	10



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9409	9 Way Surface Fuse Box	20



SURFACE MOUNTED FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9417	36 Way Surface Fuse Box	10



FLUSH FUSE BOX

SIVA ALTI SİGORTA KUTULARI



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9404	2 Way Flush Fuse Box	30



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9414	16 Way Flush Fuse Box	20



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9408	6 Way Flush Fuse Box	30



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9416	24 Way Flush Fuse Box	10



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9410	9 Way Flush Fuse Box	20



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9418	36 Way Flush Fuse Box	10



FLUSH FUSE BOX

CODE	DESCRIPTION	CTN-PCS
OM 9412	12 Way Flush Fuse Box	20



CABLE TYPES

KABLO ÇEŞİTLERİ




COAXIAL CABLE

CAMERA CABLE

CAT 6

TELEPHONE CABLE

POWER CABLE





PARK & GARDEN LIGHTING

PARK VE BAHÇE AYDINLATMA



WATERPROOF FRAMED

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z207SÇ	18W, IP54, 3000-6500K	220x86mm	10/20
OM Z207BÇ	18W, IP54, 3000-6500K	220x86mm	10/20

WITHOUT WATERPROOF FRAME

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z207S	18W, IP54, 3000-6500K	220x86mm	10/20
OM Z207B	18W, IP54, 3000-6500K	220x86mm	10/20



MOUSROOM WALL SCENCE

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z239	E27, IP54, Black & White	320x259mm	6/12



MOUSROOM CASTLE

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z241	E27, IP54, Black & White	335x180mm	6/12



MEGA SCENCE & COUNTERTOP

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z250	E27, IP54, Black, Outdoor	270x225mm	4/8



MINI ULTRA COUNTERTOP

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z265	E27, IP54, Black, Outdoor	250x160mm	6



COUNTERTOP & WALL SCENCE FIXTURE

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z288	Countertop, E27, IP54, Black	420x160mm	6/12
OM Z289	Wall Sconce, E27, IP54, Black	420x160mm	6/12



COUNTERTOP & WALL SCENCE FIXTURE

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM Z230	Countertop, E27, IP54	370x230mm	6/12
OM Z231	Wall Sconce, E27, IP54	370x290mm	6/12





LED BULBS

LED AMPÜLLER



7W



7W

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 217B	SMD Led, E14, 7W,	100x37mm	100
OM 217G	220V, 630 Lm, IP20	100x37mm	100

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 207B	SMD Led, E27, 7W,	85x45mm	200
OM 207G	220V, 630 Lm, IP20	85x45mm	200



9W



12W

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 209B	SMD Led, E27, 9W,	108x60mm	200
OM 209G	220V, 720 Lm, IP20	108x60mm	200

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 212B	SMD Led, E27, 12W,	118x60mm	200
OM 212G	220V, 1080 Lm, IP20	118x60mm	200



5W



15W

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 205B	SMD Led, E27, 5W,	85x48mm	200
OM 205G	220V, 450 Lm, IP20	85x48mm	200

LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 215B	SMD Led, E27, 15W,	85x45mm	100
OM 215G	220V, 1350 Lm, IP20	85x45mm	100





T LED BULBS

LED AMPÜLLER



20W



30W

T LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 220B	SMD Led, E14, 20W,	165x80mm	50
OM 220G	220V, 1800 Lm, IP20	165x80mm	50

T LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 230B	SMD Led, E27, 30W,	195x105mm	50
OM 230G	220V, 2700 Lm, IP20	195x105mm	50



40W



50W

T LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 240B	SMD Led, E27, 40W,	165x125mm	30
OM 240G	220V, 3600 Lm, IP20	165x125mm	30

T LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 250B	SMD Led, E27, 50W,	220x125mm	20
OM 250G	220V, 4500 Lm, IP20	220x125mm	20



60W

T LED BULB

CODE	DESCRIPTION	DIAMETER	CTN-PCS
OM 260B	SMD Led, E27, 60W,	165x125mm	20
OM 260G	220V, 5400 Lm, IP20	165x125mm	20

